

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	212	713/175.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:54
L2	0	1 and ((comput\$4 or generat\$3 or calculat\$3) same hash same maximum same minimum same divid\$3 same interval) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:58
L3	0	713/176.ccls. and ((comput\$4 or generat\$3 or calculat\$3) same hash same maximum same minimum same divid\$3 same interval) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:59
L4	0	713/177.ccls. and ((comput\$4 or generat\$3 or calculat\$3) same hash same maximum same minimum same divid\$3 same interval) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:59
L5	0	713/178.ccls. and ((comput\$4 or generat\$3 or calculat\$3) same hash same maximum same minimum same divid\$3 same interval) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:59
L6	0	713/179.ccls. and ((comput\$4 or generat\$3 or calculat\$3) same hash same maximum same minimum same divid\$3 same interval) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:59
L7	0	713/180.ccls. and ((comput\$4 or generat\$3 or calculat\$3) same hash same maximum same minimum same divid\$3 same interval) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:57
L8	0	713/181.ccls. and ((comput\$4 or generat\$3 or calculat\$3) same hash same maximum same minimum same divid\$3 same interval) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 09:00
L9	0	1 and variant same divid\$3 same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:58

L10	0	713/176.ccls. and variant same divid\$3 same node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:59
L11	0	713/176.ccls. and variant same divid\$3 same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:59
L12	0	713/177.ccls. and variant same divid\$3 same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:59
L13	0	713/178.ccls. and variant same divid\$3 same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:59
L14	0	713/179.ccls. and variant same divid\$3 same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 09:00
L16	0	713/181.ccls. and variant same divid\$3 same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 09:00
S1	2	"5699431".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:53
S2	0	((comput\$4 or generat\$3 or calculat\$3) same hash same maximum same minimum same divid\$3 same interval) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 08:55
S3	2	((comput\$4 or generat\$3 or calculat\$3) same hash same maximum same minimum same divid\$3) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 12:21
S4	3	(hash same maximum same minimum same divid\$3) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 11:13

S5	3	((comput\$4 or generat\$3 or calculat\$3) same hash same ((maximum same minimum) or variant) same divid\$3) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 12:22
S6	6	((comput\$4 or generat\$3 or calculat\$3) same hash same ((maximum same minimum) or variant or difference) same divid\$3) and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 13:18
S7	19	"5699431"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 13:46
S8	201	"19" and (hash near2 node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 13:46
S9	5	S7 and (hash near2 node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 15:05
S10	2	"5953421".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 15:05
S11	2	"6812464".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 15:06
S12	2	"6683958".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 15:07
S13	2	"5307410".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 15:08
S14	2	"6438234".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 15:58

S15	20	("hash value" same ("subject name" or item)) and (certificat\$ or "certificate revocation list" or CRL or "revocation list") and @ad < "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 16:01
S29	54	713/158.ccls. and @ad <="20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:43
S30	237	713/156.ccls. and @ad <="20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:41
S31	297	713/155.ccls. and @ad <="20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:41
S32	170	713/150.ccls. and @ad <="20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:41
S33	23	380/229.ccls. and @ad <="20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:41
S34	158	705/67.ccls. and @ad <="20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:42
S35	11364	"705"/\$.ccls. and @ad <="20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:42
S36	0	S29 and "tree with node"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:44
S41	10	S29 and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:45

S42	7	S29 and tree same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:45
S43	11	S30 and tree same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:45
S44	8	S31 and tree same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:46
S45	3	S32 and tree same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:46
S46	0	S33 and tree same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:46
S47	5	S34 and tree same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:46
S48	206	S35 and tree same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:46
S49	0	S41 and (maximum same minimum same (divid\$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:47
S50	0	S42 and (maximum same minimum same (divid\$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:48
S51	0	S43 and (maximum same minimum same (divid\$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:48

S52	0	S44 and (maximum same minimum same (divid\$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:48
S53	0	S45 and (maximum same minimum same (divid\$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:48
S54	0	S46 and (maximum same minimum same (divid\$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:48
S55	0	S47 and (maximum same minimum same (divid\$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:48
S56	0	S48 and (maximum same minimum same (divid\$3 adj by adj node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:49
S59	127	((maximum or larg\$4 or big\$4 or high\$4) adj (value or amount or result or total)) near2 (subtrat\$3 or "taken out" or deduct\$3 or deduc\$3 or withhold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:00
S60	0	((maximum or larg\$4 or big\$4 or high\$4) adj (value or amount or result or total)) near2 (subtrat\$3 or "taken out" or deduct\$3 or deduc\$3 or withhold) near2 ((minimum or smal\$4) adj (value or amount or result or total)) with (divid\$3 adj by adj node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:44
S61	0	((maximum or larg\$4 or big\$4 or high\$4) adj (value or amount or result or total)) near2 (subtrat\$3 or "taken out" or deduct\$3 or deduc\$3 or withhold) near2 ((minimum or smal\$4) adj (value or amount or result or total)) same (divid\$3 adj by adj node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:47

S62	0	(subtrat\$3 or "taken out" or deduct\$3 or deduc\$3 or withhold) near2 ((minimum or smal\$4) adj (value or amount or result or total)) with (divid\$3 adj by adj node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:46
S63	0	(subtrat\$3 or "taken out" or deduct\$3 or deduc\$3 or withhold) near2 ((minimum or smal\$4) near3 (value or amount or result or total)) with (divid\$3 adj by adj node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:46
S64	0	(value or amount or result or total) with (divid\$3 adj by adj node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:46
S65	0	(divid\$3 adj by adj node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:47
S66	0	(divid\$3 adj2 by adj2 node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:48
S67	0	(divid\$3 adj2 by adj3 node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:48
S68	0	(divid\$3 adj2 by adj8 node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:48
S69	0	(divid\$3 adj8 by adj8 node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:48
S70	9559	(divid\$3 with node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:49
S71	903	(divid\$3 with number with node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:17

S72	0	(divid\$3 with number with of with node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:49
S73	0	(distribution adj.(point or interval)) same (value or result) same (divid\$3 with number with node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 12:15
S74	5	(distribution) same (value or result) same (divid\$3 with number with node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 12:32
S75	2083	tree same average and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 12:33
S76	318	tree same node same average and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:08
S77	0	tree same node same average and CRL and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:09
S78	0	tree same node same average and (CRL or "revocatin list") and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:09
S79	2985	"distribution point" and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:18
S80	0	"distribution point" with divid\$3 with node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:18
S81	0	"distribution point" same divid\$3 with node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:18

S82	20	"distribution point" and divid\$3 with node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:22
S83	0	"distribution point" and divid\$3 with node and ("certificate revocation list" or "revocation list" or "revoked list" or CRL) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:21
S84	1	(produc\$3 or generat\$4) with "distribution point" and divid\$3 with node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:43
S85	32	("5666416" "5960083" "6397329" "6128740" "6230266" "6292893" "6301659" "5717757" "5793868" "6097811" "5687235" "6314517" "5659616" "6226743" "6226743" "6351812" "6301658" "6442689"). pn. and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:44

S86	186	("5903882" "5717758" "5666416" "5960083" "6397329" "6128740" "6230266" "6292893" "6301659" "5717757" "5793868" "6097811" "5687235" "6314517" "5659616" "6226743" "6226743" "6351812" "6301658" "6442689" "5903651" "5699431" "6044462" "6532540" "6125349" "6487658" "6438690" "6202157" "6223291" "6223291" "6442571" "5745574" "5850442" "6134550" "6715073" "6324645" "6275941" "6490679" "6038551" "6108788" "6317829" "6510513" "5995625" "5373561" "5825300" "6039248" "6233685" "6367013" "5968177" "6336186").pn. ("5923756" "6198824" "6304974" "6192130" "6738912" "6615349" "6233341" "6202159" "6442696" "5611035" "6189096" "6425081" "5220603" "5864667" "6073124" "5922074" "6216231" "6216231" "6233428" "6249873" "6256741" "6356937" "6105010" "6061448" "6061448" "5748735" "5933503" "5774552" "5877759" "5220604" "5606617" "6324271" "6119230" "6285991" "6405313" "6038597" "5852665" "5867578" "6411716" "5534855" "6484258" "4868877" "5005200" "5214702" "5721781" "6170058" "5825880" "6526509" "6640007" "5210795").pn. and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:45
S87	0	S86 and ((maximum or larg\$4 or big\$4 or high\$4) adj (value or amount or result or total)) near2 (subtrat\$3 or "taken out" or deduct\$3 or deduc\$3 or withhold) near2 ((minimum or smal\$4) adj (value or amount or result or total)) same (divid\$3 adj by adj node) and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:48
S88	0	S86 and variant same divid\$3 same node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:48
S89	0	S86 and variants same divid\$3 same node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:49

S90	3	S86 and value same divid\$3 same node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:54
S91	0	S86 and (distribution adj (interval or point)) same divid\$ same by same node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:55
S92	0	S86 and (distribution adj (interval or point)) same divid\$ same node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:56
S93	0	S86 and (distribution adj (interval or point)) and value same divid\$ same node and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 14:58
S94	3	"106869".ap. and @ad <= "20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 14:58
S95	4	"106869".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 14:58
S96	0	(hash near4 difference) near6 divided near6 node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:56